

B.

Terrain

A tufted tile for heavy commercial application, Terrain is a new range that takes inspiration from nature's contours with seemingly torn and unfinished designs that embrace imperfection.

Extended Specifications

Use Classification: (SANS 10361) / 33 (EN 1307)	Heavy Commercial
Construction:	Pattern Colour Placement
Recycled Content:	Pile Yarn (Certain Colours) Backing (NexBac Eco/ EcoBac on request)
Fibre Type:	Stainproof SDX (Solution Dyed Nylon)
Fibre Mass: (ISO 8543)	±500g/m ²
Total Thickness (NexBac): (ISO 8543)	±6mm
Total Mass (NexBac): (ISO 8543)	±3897g/m ²
Standard Tile Size:	25cm x 100cm
Standard Backing:	NexBac (Bitumen)



B.

Terrain

Extended Specifications

Fire Classification: (EN 13501) (ASTM E 648-08)

Colour Fastness To:

Electrostatic Propensity: (EN 14041) / (ISO 6356)

Sound Absorption (NexBac): (EN ISO 354)

Sound Insulation (NexBac): (EN ISO 10140)

Thermal Resistance (NexBac): (ISO 8302)

Dimensional Stability: (ISO 986:2006)

VOC Tested: (ASTM D5116)

Castor Chair Suitability: (NF EN 985)

Warranty:

Guarantee:

Bfl -s1

Light 7

Water 4-5

Rubbing (dry) 4-5

Rubbing (wet) 4-5

≤ 2.0 kV (CE Market)

aw: 0.15

18 dB

0.0649 m². K/W


Shrinkage & Expansion ≤ 0.2% in both directions

TVOC Emission Rates within limits (GBCSA / GBCA /CRI)


Intensive Use

15 year


5 year



B.



Terrain



Bill of Quantities

- Belgotex's TERRAIN 25cm x 100cm Heavy Commercial ± 6mm NexBac plank is manufactured from Stainproof SDX (Solution Dyed Nylon 6 for Extreme Conditions).
- This product is to be laid in accordance with the SANS 10186 fitting code of practice.
- Belgotex TERRAIN tiles to be installed in the following directions: Brick, Ashlar, Random Ashlar or Herringbone.
- Belgotex recommends the use of carpet protector mats where castor wheels are used.
- 15-year warranty (Linked to a Maintenance Plan) and 5-year guarantee.
- Made in South Africa.
- Green Tag level A Silver rated certification.

Note: Belgotex offers customization of this product in colour, backing and size. Please contact a Belgotex representative for more information.

*All product names and logos are trademarks of BELGOTEX FLOORCOVERINGS® (Pty) Ltd. © BELGOTEX FLOORCOVERINGS® (Pty) Ltd. All rights reserved. Warranty and guarantee to limitations and conditions. For details contact BELGOTEX FLOORCOVERINGS® (Pty) Ltd.

***Belgotex GRID to be installed in the following directions: Ashlar, Herringbone. Please contact your nearest Belgotex representative for more information.

Product Disclaimer: Product characteristic may vary due to the nature of manufacturing. To combat colour variance do not install more than one dye lot in a single colour tile installation. Where different dye lots and products are mixed and matched then size variations could take place and tiles might need to be altered during installation. If you are installing multiple colours in a random pattern, mixing dye lots together won't be a problem. Sample swatches have been cut from an overall design; therefore, the design and shades may vary. A difference in appearance