

B.

Blend

This hard-working yet subtly sophisticated Stainproof SDX range offers tone-on-tone colours to minimize soiling with heavy traffic. These colours are adaptable to fit in with various Belgotex tile ranges and feature the latest colour trends.

Extended Specifications

Use Classification: (EN1307)	Heavy Commercial - 33
Construction:	Tufted Multi Scroll Loop Pile
Recycled Content:	Yarn – Stainproof SDX Eco (certain colours)
Fibre Type:	Stainproof SDX (Solution Dyed Nylon-6)
Fibre Mass: (ISO 8543)	±625 (g/m ²)
Total Thickness (NexBac): (ISO 8543)	±6 (mm)
Total Mass (NexBac): (ISO 8543)	±675 * (g/m ²)
Standard Size (tile):	50 × 50 (cm)
Standard Backing:	NexBac (Bitumen)
Fire Classification: (EN 13501) (ASTM E 648-08)	3 Bfl-s1 Class 1




B.

Blend


Extended Specifications

Colour Fastness to:	Light > 6
	Water 4 – 5
	Dry Rubbing 4 – 5
	Wet Rubbing 4 – 5
Electrostatic Propensity: (EN 14041) / (ISO 6356)	≤ 2 kV
Sound Absorption (NexBac): (EN ISO 354)	0.15 aw
Sound Insulation (NexBac): (EN ISO 10140)	24 dB
Thermal Resistance (NexBac): (ISO 8302)	0.0720 m ² .K/W
Dimensional Stability: (NF EN 986)	Pass
VOC Tested: (ASTM D5116)	TVOC Emission Rates within limits (GBCSA / GBCA /CRI)
Dimensional Stability:	Shrinkage & Expansion ≤ 0.2% in both directions
Castor Chair Suitability: (NF EN 985)	Intensive Use
Warranty:	15 year
Guarantee:	5 year


* Weighted Average




B.




Berry




Cocoa



Corn



Flora



Havana



Mist




Navy



Olive



Raven



Smoke



Spice



Terracotta

Blend



Bill of Quantities

- Belgotex's BLEND 50cm x 50cm Heavy Commercial ±6mm NexBac tile is manufactured from Stainproof SDX (Solution Dyed Nylon 6 for Extreme Conditions).
- This product is to be laid in accordance with the SANS 10186 fitting code of practice.
- Belgotex BLEND tiles to be installed in the following directions: Tessellated and Colour Mix.
- Belgotex recommends the use of carpet protector mats where castor wheels are used.
- 15-year warranty and 5-year guarantee.
- Made in South Africa.
- Green Tag level A Silver rated certification.

Note: Belgotex offers customization of this product in colour, backing and size. Please contact a Belgotex representative for more information.

*Belgotex BLEND to be installed in the following directions: Tessellated and Colour Mix. As these custom offerings are not standard, minimum production quantities apply. Please contact your nearest Belgotex representative for more information on this.

**All product names and logos are trademarks of BELGOTEX FLOORCOVERINGS® (Pty) Ltd. © BELGOTEX FLOORCOVERINGS® (Pty) Ltd. All rights reserved. Warranty and guarantee to limitations and conditions. For details contact BELGOTEX FLOORCOVERINGS® (Pty) Ltd.

Product characteristic may vary due to the nature of manufacturing. To combat colour variance do not install more than one dye lot in a single colour tile installation. Where different dye lots and products are mixed and matched then size variations could take place and tiles might need to be altered during installation. If you are installing multiple colours in a random pattern, mixing dye lots together won't be a problem. Sample swatches have been cut from an overall design; therefore, the design and shades may vary. A difference in appearance from the pattern is likely, as the product is not intended to have a uniform appearance. During installation of this product there could be visible tile joins due to texture and design, this is not a manufacturing fault, tiles need to be moved around the in the installation.