

B.

Hard Graft

A commercial collection of two designs built for endurance in general/medium commercial traffic areas. Hard Graft™ by Belgotex offers a tile and plank in both designs to infuse resilient texture into the modern work environment. The four colourways cover a variety of moody hues that deliver an organic canvas to all things “Cubicool” – what’s that you ask? It’s today’s culture of creating inspiring workspaces that echo the attitude of the business.

Extended Specifications

Use Classification: (EN1307)	General/Medium Commercial
Construction:	Tufted Multi Scroll Loop Pile
Recycled Content:	Backing (NexBac Eco/EcoBac (EOS) on request only)
Fibre Type:	Stainproof Miracle Fibre (Polypropylene)
Fibre Mass: (ISO 8543)	560g/m ²
Total Thickness (NexBac): (ISO 8543)	2.5mm to 5.5mm (± 0.5mm)
Total Mass (NexBac): (ISO 8543)	± 4100g/m ²
Standard Size (tile):	50cm x 50cm
Standard Backing:	NexBac (Bitumen)
Fire Classification: (EN 13501) (ASTM E 648-08)	2



B.

Hard Graft

Extended Specifications

Colour Fastness to:	Light	7
	Water	4 – 5
	Dry Rubbing	4 – 5
	Wet Rubbing	4 – 5
Electrostatic Propensity: (EN 14041) / (ISO 6356)		≤ 2.0 kV
Sound Absorption (NexBac): (EN ISO 354)		aw 0.15
Sound Insulation (NexBac): (EN ISO 10140)		25 dB
Thermal Resistance (NexBac): (ISO 8302)		0.0740 m ² . K/W
Dimensional Stability: (ISO 986:2006)		Shrinkage & Expansion ≤ 0.2% in both directions
VOC Tested: (ASTM D5116)		TVOC Emission Rates within limits (GBCSA / GBCA /CRI)
Castor Chair Suitability: (NF EN 985)		Occasional Use
Staircase Suitability: (EN 1963) / (NF EN ISO 12951)		Occasional Use
Warranty:		15 year
Guarantee:		5 year

** Weighted Average



B.

Hard Graft

This commercial collection is available in two design – Graded is more structured and linear in appearance and Shaded is a dappled distressed pattern. The palette is mostly tonal across all 4 colourways giving way to standout décor & furniture pieces.

Graded



Chill



Deep



Edge



Hype


Shaded



Chill



Deep



Edge



Hype

B.

Hard Graft



Bill of Quantities

- Belgotex's HARD GRAFT 50cm x 50cm Medium commercial 0.5mm NexBac tile is manufactured from Stainproof Miracle Fibre (Polypropylene).
- This product is to be laid in accordance with the SANS 10186 fitting code of practice.
- Belgotex HARD GRAFT can be installed in the following directions: 50cm x 50cm can be Tessellated, Ashlar, Brick, Random & Herringbone.
- Belgotex recommends the use of Carpet protector mats where castor wheels are used.
- 15-year warranty and 5-year guarantee.
- Made in South Africa.

Note: Belgotex offers customization of this product in colour, backing and size. Please contact a Belgotex representative for more information.

Product Disclaimer: Product characteristic may vary due to the nature of manufacturing. To combat colour variance do not install more than one dye lot in a single colour tile installation. Where different dye lots and products are mixed and matched then size variations could take place and tiles might need to be altered during installation. If you are installing multiple colours in a random pattern, mixing dye lots together won't be a problem. Sample swatches have been cut from an overall design; therefore, the design and shades may vary. A difference in appearance from the pattern is likely, as the product is not intended to have a uniform appearance. During installation of this product there could be visible tile joins due to texture and design, this is not a manufacturing fault, tiles need to be moved around the in the installation.

*All product names and logos are trademarks of BELGOTEX FLOORCOVERINGS® (Pty) Ltd. © BELGOTEX FLOORCOVERINGS® (Pty) Ltd. All rights reserved. Warranty and guarantee to limitations and conditions. For details contact BELGOTEX FLOORCOVERINGS® (Pty) Ltd.