

B.

Fringe

We're all so thoughtful at the start of a new relationship and we've made no exception when it comes to blending our carpet ranges. Fringe is a commercial range for those seeking organic texture and subtle colour. A choice between planks or tiles delivers pattern versatility through tessellation.

Extended Specifications

Use Classification: (EN1307)	General/Medium Commercial
Construction:	Tufted Multi Scroll Loop Pile
Recycled Content:	Backing (NexBac Eco/ EcoBac (EOS) on request only)
Fibre Type:	Stainproof Miracle Fibre (Polypropylene) 16% Stainproof SDX and 84% Stainproof Miracle Fibre (on certain colours)
Fibre Mass: (ISO 8543)	±550g/m ²
Total Thickness (NexBac): (ISO 8543)	7 (mm) (± 0.5mm)
Total Mass (NexBac): (ISO 8543)	±4223g/m ^{2**}
Standard Size (tile):	25 x 100 (cm)
Standard Backing:	NexBac (Bitumen)



B.

Fringe

Extended Specifications

Fire Classification: (EN 13501) (ASTM E 648-08)	Bfl -s1
Colour Fastness to:	Light 7 Water 4 - 5 Dry Rubbing 4 - 5 Wet Rubbing 4 - 5
Electrostatic Propensity: (EN 14041) / (ISO 6356)	≤ 2 kV
Sound Absorption (NexBac): (EN ISO 354)	aw 0.15
Sound Insulation (NexBac): (EN ISO 10140)	25 dB
Thermal Resistance (NexBac): (ISO 8302)	0.0740 m ² . K/W
Dimensional Stability: (NF EN 986)	Shrinkage & Expansion ≤ 0.2% in both directions
VOC Tested: (ASTM D5116)	TVOC Emission Rates within limits (GBCSA / GBCA /CRI)
Castor Chair Suitability: (NF EN 985)	Occasional Use
Staircase Suitability: (EN 1963) / (NF EN ISO 12951)	Occasional Use
Warranty:	15 year
Guarantee:	5 year

** Weighted Average




B.




Bind



Border



Frill



Beaded



Bullion



Layered



Tassle



Pom Pom

Fringe



Medium/General Commercial



Commercial



Hospitality



Institution



Modular



COLOURFAST BLEACH RESISTANT MF



NEX BAC



Suitable for Staircases



Underfloor Heating



From Local & Imported Goods



Eco-Friendly



REUSE REDUCE RECYCLE



ANTI ALLERGENIC



GREEN BUILDING COUNCIL MEMBER ORGANISATION



bsi ISO 14001 Environmental Management CERTIFIED



bsi ISO 45001 Occupational Health and Safety Management CERTIFIED



bsi ISO 9001 Quality Management System CERTIFIED



BELGOTEX GUARANTEE 5 YEAR



LIMITED WEAR WARRANTY 15 YEAR

Bill of Quantities

- Belgotex's FRINGE 25x100cm Medium commercial 0.5mm NexBac tile is manufactured from Stainproof Miracle Fibre (Polypropylene).
- This product is to be laid in accordance with the SANS 10186 fitting code of practice.
- Belgotex FRINGE can be installed in the following directions: 50cm x 50cm can be Tessellated, Ashlar, Brick & Random and 30cm x 120cm can be Ashlar or Herringbone.
- Belgotex recommends the use of Carpet protector mats where castor wheels are used.
- 15-year warranty and 5-year guarantee.
- Made in South Africa.

Note: Belgotex offers customization of this product in colour, backing and size. Please contact a Belgotex representative for more information.

Product Disclaimer: Product characteristic may vary due to the nature of manufacturing. To combat colour variance do not install more than one dye lot in a single colour tile installation. Where different dye lots and products are mixed and matched then size variations could take place and tiles might need to be altered during installation. If you are installing multiple colours in a random pattern, mixing dye lots together won't be a problem. Sample swatches have been cut from an overall design; therefore, the design and shades may vary. A difference in appearance from the pattern is likely, as the product is not intended to have a uniform appearance. During installation of this product there could be visible tile joints due to texture and design, this is not a manufacturing fault, tiles need to be moved around the in the installation.

*All product names and logos are trademarks of BELGOTEX FLOORCOVERINGS® (Pty) Ltd. © BELGOTEX FLOORCOVERINGS® (Pty) Ltd. All rights reserved. Warranty and guarantee to limitations and conditions. For details contact BELGOTEX FLOORCOVERINGS® (Pty) Ltd.